

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	382/199,274,275.ccls. and (color near4 difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:12
L2	272	382/199,274,275.ccls. and (color near4 difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:13
L3	34	382/199,274,275.ccls. and ((color near4 difference)with (edge or contour or fold or crease or ear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:13
L4	42	382/199,274,275.ccls. and ((color near4 difference)with (edge or contour or fold or crease or \$4ear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:19
L5	16	382/199,274,275.ccls. and ((color near4 difference)with((detect\$4 or determin\$4) near4 (edge or contour or fold or crease or \$4ear)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:27
L6	16	382/199,274,275.ccls. and ((color near4 difference)with((select\$4 or detect\$4 or determin\$4) near4 (edge or contour or fold or crease or \$4ear)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:28
L7	0	382/199,274,275.ccls. and ((color near4 difference)with("not" near4(select\$4 or detect\$4 or determin\$4) near4 (edge or contour or fold or crease or \$4ear)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:29
L8	17	382/199,274,275.ccls. and ((color near4 difference)with((select\$4 or \$3detect\$4 or \$3determin\$4) near4 (edge or contour or fold or crease or \$4ear)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:30

L9	4208	(color near4 difference)with (detect\$4 or undetect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:33
L10	200	(color near4 difference)with (detect\$4 or undetect\$4) with (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:34
L11	1	(color near4 difference)with (("not" near4(detect\$4)) or undetect\$4) with (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:35
L12	1	(color near4 difference)with (("not" near4(detect\$4)) or undetect\$4 or undetermi\$4) with (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 12:35
L13	1	(color near4 difference)with (("not" near4(detect\$4)) or undetect\$4 or undetermi\$4 or "not") with (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:04
L14	2	(color near4 differen\$5)with (("not" near4(detect\$4)) or undetect\$4 or undetermi\$4 or "not") with (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:05
L15	4520	(color near4 differen\$5)with ((edge or contour or fold or crease or dog\$ear or dogear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:06
L16	208	(color near4 differen\$5)with ((fold or crease or dog\$ear or dogear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:07


L17	28	(color near4 differen\$5)with ((fold or crease or dog\$ear or dogear)) with (intensity or light\$4 or bright\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:09
L18	1	382/199,274,275.ccls. and (color near4 differen\$5)with ((fold or crease or dog\$ear or dogear)) with (intensity or light\$4 or bright\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:10
L19	11	382/199,274,275.ccls. and (color near4 differen\$5)with ((noise or artifact or aberration)) with (intensity or light\$4 or bright\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:14
L20	37	horie near2 d	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:15
L21	7	(horie near2 d) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:15

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore[®]
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office


» Se.

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore[®]

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

 Your search matched **14** of **1124699** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Digital Coding of Color Picturephone Signals by Element-Differential Quantization
Limb, J.; Rubinstein, C.; Walsh, K.;

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 19 , Issue: 6 , Dec 1971

Pages:992 - 1006

[\[Abstract\]](#) [\[PDF Full-Text \(2840 KB\)\]](#) IEEE JNL

2 Effects of Digital Demodulation on Component Coding of NTSC Color Signals
Dubois, E.;

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 27 , Issue: 9 , Sep 1979

Pages:1342 - 1348

[\[Abstract\]](#) [\[PDF Full-Text \(928 KB\)\]](#) IEEE JNL

3 The EBU C-MAC/Packet System for Direct Broadcasting by Satellite
Mertens, H.; Wood, D.;

Selected Areas in Communications, IEEE Journal on , Volume: 3 , Issue: 1 , Jan 1985

Pages:65 - 75

[\[Abstract\]](#) [\[PDF Full-Text \(1152 KB\)\]](#) IEEE JNL

4 False color signal reduction method for single chip color video camera
Sugiura, H.; Asakawa, K.; Fujino, J.;

Consumer Electronics, IEEE Transactions on , Volume: 40 , Issue: 2 , May 1990

Pages:100 - 106